	Application No.	Applicant(a)
	Application No.	Applicant(s)
Notice of Allowability	09/658,079	ROMANSKY, BRIAN M.
Notice of Anomability	Examiner	Art Unit
	Pierre E. Elisca	3621
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>7/13/2006</u> .		
2. X The allowed claim(s) is/are <u>1-5, 7-11,17-19,21-23,25,27 and 30-40</u> .		
 Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	be been received. be been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Dat 08), 7. ☐ Examiner's Amenda	
	PRIMARY EN	lane I AMINĀR

U.S. Patent and Trademark Office PTOL-37 (Rev. 7-05) Application/Control Number: 09/658,079

Art Unit: 3621

REASONS FOR ALLOWANCE

1. This is an Examiner's statement of reasons for allowance. The closest prior art Nakamura et al U.S. Pat. No. 4,876, 571 discloses a copying machine including a sheet in which bar codes corresponding to various copying modes are printed, a bar code reader for reading the bar codes from the sheet.

Page 2

JP404216256A, Fujimoto, Tomoko discloses a charge rate display system.

IBM Technical Disclosure Bulletin TDB-ACC-NO: NN9503273 discloses a track follow integrator pre-charge prediction utilizing an averaged integrator value.

However, neither Makamura nor Fujimoto and IBM Technical Disclosure Bulletin singularly or in combination fail to anticipate or render obvious the recited feature:

As per claims 1, 22 and 27 "the embedded code containing a rate code for calculating a charge for presenting the message in the digital content, calculating the charge based on the rate code and the counted number of times the message is presented to a user". As per claims 17 and 38 " a mechanism, remote from the monitoring means, for sending an authentication message to the monitoring means on a fixed time basis, wherein the monitoring means is adapted to disable the counting means when the monitoring means does not receive the authentication message on the fixed time basis".

Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pierre E. Elisca whose telephone number is 571 272 6706. The examiner can normally be reached on 6:30 to 5:00.

Application/Control Number: 09/658,079

Art Unit: 3621

, ... ·

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Trammell can be reached on 571 272 6712. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Pierre Eddy Elisca

Primary Patent Examiner

September 20, 2005